

AD-A165 832

INFORMATION PROCESSING IN MAMMALIAN VISUAL CORTEX(U)  
CALIFORNIA INST OF TECH PASADENA DIV OF BIOLOGY  
D C VAN ESSEN 26 FEB 86 N00014-85-K-0068


1/1

UNCLASSIFIED

F/G 6/16

NL





MICROCOPY RESOLUTION TEST CHART

AD-A165 832

12

Technical Memorandum  
Contract #N 00014-85-K-0068  
Work Unit: NR 196-083  
Office of Naval Research

Approved for public release; distribution unlimited

Reproduction in whole or in part is permitted for any  
purpose of the United States Government

FILE COPY

DTIC  
ELECTE  
MAR 27 1986  
B

86 3 27 017

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER 1986-1	2. GOVT ACCESSION NO. ADA 165832	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) Information Processing in Mammalian Visual Cortex		5. TYPE OF REPORT & PERIOD COVERED Interim (Dec. 1, 1984-Nov. 30, 1985)
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) David C. Van Essen		8. CONTRACT OR GRANT NUMBER(s) N00014-85-K0068
9. PERFORMING ORGANIZATION NAME AND ADDRESS David C. Van Essen Biology Division, 216-76 California Institute of Technology, Pasadena CA 91125		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS Work Unit NR 196-083
11. CONTROLLING OFFICE NAME AND ADDRESS Office of Naval Research Arlington, VA 22217-5000		12. REPORT DATE 26 February 1986
		13. NUMBER OF PAGES 15
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) Unclassified
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) vision cerebral cortex; pattern recognition; cortical mapping; single neuron physiology voltage sensitive dye		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) This report We have used a combination of physiological and anatomical approaches to elucidate the functional organization of visual cortex in the macaque monkey. One project was a single cell analysis of texture vision, using texture patterns of the type developed by Julesz for human psychophysical studies. Many cells tested in area V2 responded to static or moving texture gradients in ways which were not predictable on the basis of responses to individual texture elements and which correlated with the preattentive discriminability of these texture pattern. to human observers. (continued)		

DD FORM 1 JAN 73 1473

EDITION OF 1 NOV 65 IS OBSOLETE  
S/N 0102- LF-014-6601

Unclassified


SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

➤ A second project involved the development of a computerized technique for generating two-dimensional maps of cerebral cortex. An algorithm based on simulated annealing procedures was used to construct a complete map of primary visual cortex, thereby demonstrating its suitability for dealing with anatomical data from highly convoluted regions of cortex.

A third project involved the use of voltage-sensitive dyes to monitor activity patterns in visual cortex. This technique offers great promise for analyzing the organization of large neural ensembles with high spatial and temporal resolution. *Keywords:*

Keywords:

4LD 19



Technical Memorandum

Project Title: "Information Processing in Mammalian Visual Cortex"

Contract #N 00014-85-K-0068

Work Unit: NR 196-083

Office of Naval Research

Arlington, VA 22217

Principal Investigator: David C. Van Essen

Division of Biology

California Institute of Technology

Pasadena, California 91125

Project Period: Dec. 1, 1984 - Nov. 30, 1985

Date: 26 February 1986

Supported by the Engineering Psychology Programs, Office of Naval Research

Approved for public release; distribution unlimited

The research supported by this contract has been aimed at elucidating the functional organization of mammalian visual cortex. We use a combination of physiological and anatomical techniques to identify different visual areas and to characterize how information processed within each area and distributed among areas. There have been three major components to our overall effort during the past year. The first project is an analysis of texture vision as assayed by monitoring the activity of single neurons in areas V1 and V2 of the macaque in response to texture patterns of the type developed by Julesz and collaborators. The second project is the development of a computerized technique to generate two-dimensional maps of cerebral cortex, for use in determining the functional organization of different visual areas. The third project is the application of an optical technique for monitoring the physiological activity of visual cortex with high spatial and temporal resolution. Substantial progress has been made on each of these projects, as described in the sections below.

#### Physiology of Texture Vision

Our sense of vision involves simultaneous operation of two distinct components: an attentive system that provides detailed scrutiny of one object at a time in the visual field, and a pre-attentive system that continuously scans the entire visual field in parallel and selects items of particular salience for further scrutiny by the attentive system (Julesz, 1984). The pre-attentive system appears to specialize in providing information about visual texture, i.e., the arrangement of features that provide surfaces with their characteristic appearance. One of the keys to Julesz' recent approach has been to simplify the analysis of texture vision by concentrating on patterns that consist of an array of discrete, overlapping elements, called textons. In essence, this approach has allowed a detailed dissection of which characteristics of a pattern are important in texture discrimination and which characteristics are irrelevant.

Our general aim has been to identify and characterize cells in monkey visual cortex that may be involved in mediating the perception of texture. We have used the texture

patterns devised by Julesz and have used stimulation paradigms that are based on the concepts that have emerged from his psychophysical studies. In the preliminary experiments carried out to date, we concentrated on two paradigms. The first was directed at attention-related mechanisms for detecting the presence of local texture differences (texture gradients). The second was directed at the analysis of "texture contours" whose presence is signaled by borders across which there is a texture gradient. This project has been carried out by Ted DeYoe, Jim Knierim, Dov Sagi, Bela Julesz, and myself.

Our experimental preparation is the anesthetized, paralyzed macaque monkey. We made extracellular recordings from single nerve cells in areas V1 and V2, using recording procedures standard for this laboratory (Manusell and Van Essen, 1983). Visual stimuli were generated on a Hewlett-Packard CRT monitor using a software and hardware system provided on loan by Bela Julesz. Data acquisition and analysis was carried out on our existing PDP 11/34 computer.

#### Texture Gradients using Static Center-Surround Patterns

The salience of any given texton to the pre-attentive system depends critically on the context in which it is presented, i.e., its relationship to nearby textons. A texton of any sort is immediately obvious if it is presented in complete isolation or if it is presented within a field of textons having different attributes, such as color or orientation. If, however, it is embedded within a field of identical textons, it does not stand out.

We tested for neural correlates of these psychophysical observations using patterns consisting of a central region lying, within the receptive field of the neuron under study, and a larger surround region lying completely outside the neuron's "classical" receptive field. Textons consisted of small elongated bars of light, and each texton was placed either at the cell's preferred orientation or perpendicular to it. All possible combinations of center and surround patterns were tested on each cell, and results from one




particularly interesting cell are illustrated in Figure 1. The bottom row shows the eight different stimulus patterns; the middle row shows peristimulus response histograms determined from 10 pseudorandomly interleaved repetitions of each stimulus; and the top row shows bar histograms of the average response rate. The cell responded well to stimulus C, a single bar of the optimal orientation and placed within the receptive field. It also responded well to stimulus A, consisting of the same central bar surrounded by bars of the orthogonal orientation. In contrast, there was only a weak response to stimulus B, in which the central stimulus was surrounded by bars of identical orientation. The remaining portion of the figure illustrates several control patterns, demonstrating that the cell did not fire, for example, to the surround when presented without the central bar. In short, the response of this cell mimic several key features of human texture vision: the response is large if the stimulus within the receptive field is salient to the pre-attentive system, either because of a texture gradient (stimulus A) or a combined texture and luminance gradient (stimulus C), whereas the response is small if the central bar is not pre-attentively salient, because there is no texture gradient (stimulus B).

Thus far we have obtained good recording data from 37 cells in V1 and V2 when using this paradigm. A pronounced suppressive effect of the stimulus surround was found for at least one stimulus configuration in 16 of 22 V2 cells and 8 of 15 V1 cells. For some cells the surround effect was non-specific. More interestingly, for 7 cells in V2 and 2 cells in V1 the interaction was dependent on both center and surround: there was substantial suppression for matching orientations but little or none for contrasting orientations. Thus, the responses of such cells correlate with the perceptual salience of the center texture element.

#### Responses to Moving Texture Contours

A texture pattern that moves relative to its background suddenly stands out, a fact that works to the disadvantage of prey and to the advantage of predators. We have

FIGURE 1



analyzed the responses of cell in V1 and V2 to moving texture patterns of the type illustrated in the upper part of Figure 2. A "texture bar," consisting of a vertical column of short horizontally oriented textons, is embedded in a field of vertically oriented textons (Frame 1). On each successive frame, the texture bar moves one column to the right. To a human observer, this sequence appears as a bar moving steadily to the right ("apparent motion"), with a smoothness that depends on the spatial separation of columns and the temporal separation of frames.


The lower portion of Figure 2 illustrates the responses of a cell in area V2 to the apparent motion of a texture bar. The cell responded best to rightward motion of a texture bar consisting of vertical textons, but there was also a good response when the orientation of the textons in the texture bar and surround were reversed. However, there was a much weaker response to downward motion of a horizontal texture bar, irrespective of texton orientation. Thus, the responses of this cell were determined mainly by the configuration of the texture bar, rather than the composition of the individual texture elements.

In more recent experiments, we have obtained similar results using patterns consisting of textons at oblique orientations to the texture bar, thereby eliminating any subtle luminance cues that might otherwise be used for discriminating apparent motion. These and other controls have convinced us that the responses of many cells in V2 (26 of 40 tested) encode useful information about moving texture patterns. In contrast, only 2 of 16 cells in V1 that were tested in a comparable fashion responded to the motion of the texture bar rather than the texture elements. Much more experimentation will be necessary, however, to fully clarify the nature of this information encoding in V2 and V2 to establish its relevance to texture perception.

### Computerized Mapping

The convolutions of cerebral cortex in many species imposes major difficulties in carrying out precise analyses of the functional organization of different visual areas.

# Oriented Contour Stimulus



Frame 1


2

3

4

5

Successive stimulus frames (100-250 ms/frame)



Stimulus Configurations

R.F. single bar




For about a decade we have been able to circumvent many of these difficulties by displaying our experimental findings on two-dimensional maps of the cortical surface (Van Essen and Zeki, 1978; Van Essen and Maunsell, 1980). Our original procedure for generating these maps was an entirely manual method, and it had the disadvantages of being difficult to learn, tedious to implement, and limited in overall accuracy. It has long been one of our goals to develop a completely computerized procedure for constructing two-dimensional maps, and George Carman in my lab has now succeeded in this endeavor.

The initial database for the computerized mapping procedure comes from the contours of cortical layer 4 (the middle layer) from histological sections taken at closely spaced intervals (0.5 mm) through the hemisphere. These contours are digitized on a graphics tablet and stored in disk memory on our Masscomp 535 computer. Each of these contours is smoothed and sampled at intervals of 0.5 mm. The resultant set of points form a three-dimensional reference surface used in the mapping procedure. (Each point has an  $x,y$  coordinate from its location within the section and a  $z$  coordinate from the level of the particular section to which it belongs.) For each point on this reference surface, a corresponding point is created on a two-dimensional mapping surface. The initial configuration of the two-dimensional surface is not crucial: the algorithm succeeds when all points on the lattice are started at a singularity, so that topologically correct ordering of points can be restored even when initially absent from the map.

The heart of the mapping algorithm is an iterative procedure that gradually transforms the 2-D map into its proper configuration. This is achieved using a metric of local distortion, called the energy, which reflects the deviation of the local geometry on the 2-D map from the desired geometry present in the 3-D surface. The basic strategy is to randomly move the points on the map so as to minimize the deviations of lengths and angles on the 2-D map from the corresponding distances and angles on the 3-D reference surface. This comparison between actual and desired local relationship for one lattice point and its four neighbors is illustrated in Figure 3. The sum of energies for all points

# 3D REFERENCE



# 2D MAP





FIGURE 3

yields a global energy, which must be minimized in order to generate an optimal 2-D map of the reference surface.

To find this global energy minimum, we subject the 2-D map to stimulated annealing (Kirkpatrick et al., 1983). In our implementation of this iterative algorithm, a point is chosen randomly from the lattice, and a small random displacement of that point is attempted within the plane of the map. Displacements resulting in a more accurate local geometry (decrease in energy) are always accepted, while those resulting in a less accurate local geometry (increase in energy) are accepted with a probability dependent upon a control parameter termed the "temperature." Initially, the temperature is set high in order to allow positions of points of the map to become randomized. The temperature is then gradually reduced over successive iterations, allowing the points to approach their optimal local geometries and resulting in the emergence of an optimal global conformation of the map.

We initially developed and tested this algorithm by generated 2-D maps of mathematically precise 3-D geometrical surfaces such as cones and hemispheres. For example, Fig. 4 shows three stages in the generation of an unfolded map of a hemisphere. The lattice on the top left is at an early stage of annealing, and parts of the map are not even in a topologically correct order. The lattice on the top right is topologically correct, but still has considerable local disorder. Finally, the lattice on the bottom represents a map essentially at its global energy minimum, achieved after ca. 258 iterations and 1.5 hours of computational time.

The current mapping algorithm appears to be fairly robust, in that it can generate accurate 2-D maps from a variety of 3-D surfaces, and it is flexible with regard to the starting configuration of the lattice and the precise sequence of temperature changes during annealing. Reaching this level of performance was not an easy feat, however. There are many subtleties to the algorithm that must be recognized and respected, and experience has revealed that even minor flaws can lead to highly aberrant maps as the final product. Thus, the testing of the algorithm on mathematically well-defined surfaces was crucial to its eventual success.







We next applied this approach to real neuroanatomical data, starting with a map of striate cortex (V1). We used contours from the same hemisphere that had previously been mapped by LeVay et al. (1985) using our standard manual procedure. Figure 5 shows an intermediate stage (left) in the annealing of this map, and the final, minimum-energy stage (right), reached after 250 iterations and 24 hours of computation. In this display the continuous lines represent the contours associated with individual sections through the cortex; the connections between lattice points on adjacent sections are omitted for clarity, even though they were equally important in generating the map.

The computerized 2-D map is similar to our earlier manual version in its general configuration, but it has several important advantages. Both have some residual distortions that cannot be removed because of the intrinsic curvature of the cortex (Van Essen and Maunsell, 1980). However, the distortions on the computerized map are smaller; moreover, their magnitude can be calculated and displayed precisely. The computerized procedure is more reliable, does not depend on subjective judgements, and frees the neuroanatomist from having to learn a tricky and tedious procedure.

There remains a considerable amount of work left before all stages of computerized map-making are refined and completely automated. Of particular importance is the procedure for linking corresponding points on adjacent sections, in order to create a completely connected lattice for the 3-D reference surface. We are currently exploring several possible options for most efficiently and reliably executing this task. Ultimately, we plan to have a complete package of algorithms that will be made available to interested users in the neuroscience community.

### Optical Monitoring of Brain Activity

Recently, a promising new technique has been developed for monitoring brain activity using an optical technique rather than standard electrical recording methods. This approach relies on the use of special organic dyes which, when applied to the brain, change their absorbance or fluorescence in proportion to the degree of local neural



activity (Orbach and Cohen, 1983; Grinvald, 1985). By mounting an array of photodetectors onto a microscope viewing the brain surface, it is possible to monitor the level of neural activity simultaneously at each of 100 different locations. This technique offers a combination of high temporal and spatial resolution that is unavailable with any other recording technique.

During the past year, Dr. Harry Orbach has been involved in setting up the experimental apparatus for this project and carrying out pilot studies. This has entailed extensive design and assembly of the various hardware and software components that are needed for the specific projects we will be undertaking, with the hardware being constructed by engineer Herb Adams and the software developed by Dave Bilitch. The major system components include: 1) a rat head-holding device which keeps the animal securely and stably positioned, and which is compact enough to fit on a microscope stage; 2) a transparent chamber for viewing the exposed cortical surface while minimizing cortical pulsations; 3) a microdrive for advancing electrodes into cortex to allow simultaneous optical and electrical measurements; 4) modifications of a Zeiss University microscope to allow insertion of the animal under the objective and positioning of the photodetector array on a vertical phototube; 5) linkage of 100 photodetectors through individual low-noise amplifiers to the multiplex A/D port of the Masscomp; 6) development of software for 100-channel data acquisition, analysis and graphical display; 7) construction of a projection system for presenting simple patterns (bars and edges of light) for use as visual stimuli; and 8) programming of an IRIS video graphics system for presentation of more complex stimulus patterns (e.g., oriented gratings).

These various developmental stages are now largely completed, and we have been able to carry out preliminary experiments. Most experiments to date have been done on rat visual cortex. One major objective has been to obtain simultaneous optical and electrical recordings in response to restricted visual stimuli. We feel that such an analysis will provide crucial but currently unavailable information concerning the relationship between electrically and optically mediated events in the cortex. To date,

we have gotten good electircal responses in some experiments and clear optical signals in other experiments; for a variety of technical reasons the combined experiment has not yet worked, but we expect it to succeed soon.

Another project already underway is to search for new dyes that give large optical signals, as the low signal-to-noise is a crucial limiting factor in most CNS experiments. We are planning to try a variety of dyes, some fast-acting for good temporal resolution, but also some that integrate over longer time periods, thereby trading temporal resolution for the prospect of a stronger signal.

### References

- Grinvald, A. (1985) *Ann. Rev. Neurosci.* 8: 263-305.
- Julesz, B. (1984) In: Dynamic Aspects of Neocortical Function (eds. G. M. Edelman et al.), *Neurosci. Res. Found.*, pp. 585-612.
- Kirkpatrick et al. (1983) *Science* 200: 671-680.
- LeVay, S., M. Connolly, J. Houde, and D. C. Van Essen (1985) *J. Neurosci.* 5: 486-501.
- Maunsell, J. H. R. and D. C. Van Essen (1983) *J. Neurophysiol.* 49: 1127-1147.
- Orbach, H. S. and L. B. Cohen (1983) *J. Neurosci.* 3: 2251-2262.
- Van Essen, D. C. and J. H. R. Maunsell (1980) *J. Comp. Neurol.* 191: 255-281.
- Van Essen, D. C. and S. M. Zeki (1978) *J. Physiol.* 277: 193-226.

January 1986

OFFICE OF NAVAL RESEARCH  
Engineering Psychology Program  
TECHNICAL REPORTS DISTRIBUTION LIST

OSD

CAPT Paul R. Chatelier  
Office of the Deputy Under Secretary  
of Defense  
OUSDRE (E&LS)  
Pentagon, Room 3D129  
Washington, D. C. 20301

Department of the Navy  
Engineering Psychology Program  
Office of Naval Research  
Code 1142EP  
800 North Quincy Street  
Arlington, VA 22217-5000 (3 copies)

Aviation & Aerospace Technology  
Programs  
Code 121  
Office of Naval Research  
800 North Quincy Street  
Arlington, VA 22217-5000

Physiology and Neurobiology Program  
Office of Naval Research  
Code 1141NP  
800 North Quincy Street  
Arlington, VA 22217-5000

CAPT. P. M. Curran  
Code 125  
Office of Naval Research  
800 North Quincy Street  
Arlington, VA 22217-5000

Dr. Charles Holland  
Office of Naval Research  
Code 1133  
800 N. Quincy Street  
Arlington, VA 22217-5000

J. Randy Simpson  
Statistics Program Code 1111SP  
Office of Naval Research  
800 North Quincy Street  
Arlington, VA 22217-5000

Dr. Lyle D. Broemeling  
Code 1111SP  
Office of Naval Research  
800 N. Quincy Street  
Arlington, VA 22217-5000

Information Sciences Division  
Code 1133  
Office of Naval Research  
800 North Quincy Street  
Arlington, VA 22217-5000

CAPT William M. Houk  
Commanding Officer  
Naval Medical R&D Command  
Bethesda, MD 20814-5055

Dr. Randall P. Schumaker  
NRL A. I. Center  
Code 7510ical R&D Command  
Naval Research Laboratory  
Washington, D.C. 20375-5000

Department of the Navy

Special Assistant for Marine  
Corps Matters  
Code OOMC  
Office of Naval Research  
800 North Quincy Street  
Arlington, VA 22217-5000

Mr. R. Lawson  
ONR Detachment  
1030 East Green Street  
Pasadena, CA 91106-2485

CDR James Offutt  
Office of the Secretary of Defense  
Strategic Defense Initiative Organization  
Washington, D.C. 20301-7100

Director  
Technical Information Division  
Code 2627  
Naval Research Laboratory  
Washington, D.C. 20375-5000

Dr. Michael Melich  
Communications Sciences Division  
Code 7500  
Naval Research Laboratory  
Washington, D.C. 23075-5000

Dr. J. S. Lawson, Jr.  
4773-C Kahala Avenue  
Honolulu, HI 96816

Dr. Neil McAlister  
Office of Chief of Naval Operations  
Command and Control  
OP-094H  
Washington, D. C. 20350

Dr. A. F. Norcio  
Computer Sciences & Systems  
Code 7592  
Naval Research Laboratory  
Washington, DC 20375-5000

Dr. James McMichael  
Office of the Chief of Naval  
Operations, OP987H  
Technology Assessment Division  
Washington, D. C. 20350

Mr. John Davis  
Combat Control Systems Department  
Code 35  
Naval Underwater Systems Center  
Newport, RI 02840

Human Factors Department  
Code N-71  
Naval Training Systems Center  
Orlando, FL 32813

Mr. Norm Beck  
Combat Control Systems Department  
Code 35  
Naval Underwater Systems Center  
Newport, RI 02840

Human Factors Engineering  
Code 441  
Naval Ocean Systems Center  
San Diego, CA 92152

Dr. Gary Poock  
Operations Research Department  
Naval Postgraduate School  
Monterey, CA 93940

Mr. H. Talkington  
Engineering & Computer Science  
Code 09  
Naval Ocean Systems Center  
San Diego, CA 92152

CDR Paul Girard  
Command & Control Technology  
Department, Code 40  
Naval Ocean Systems Center  
San Diego, CA 92152

Department of the Navy

Mr. Paul Heckman  
Naval Ocean Systems Center  
San Diego, CA 92152

Dr. William Uttal  
Naval Ocean Systems Center  
Hawaii Laboratory  
P. O. Box 997  
Kailua, HI 96734

Dr. A. L. Slafkosky  
Scientific Advisor  
Commandant of the Marine Corps  
Washington, D. C. 20380

Dr. L. Chmura  
Computer Sciences & Systems  
Code 7592  
Naval Research Laboratory  
Washington, D.C. 20375-5000

Dr. Michael Letsky  
Office of the Chief of Naval  
Operations (OP-01B7)  
Washington, D.C. 20350

Professor Douglas E. Hunter  
Defense Intelligence College  
Washington, D.C. 20374

CDR C. Hutchins  
Code 55  
Naval Postgraduate School  
Monterey, CA 93940

Dr. Stanley Collyer  
Office of Naval Technology  
Code 222  
800 North Quincy Street  
Arlington, VA 22217-5000

Professor Michael Sovereign  
Joint Command, Control &  
Communications Curriculum  
Code 74  
Naval Postgraduate School  
Monterey, CA 93943

Commander  
Naval Air Systems Command  
Crew Station Design  
NAVAIR 5313  
Washington, D. C. 20361

Mr. Philip Andrews  
Naval Sea Systems Command  
NAVSEA 61R  
Washington, D. C. 20362

Aircrew Systems Branch  
Systems Engineering Test  
Directorate  
U.S. Naval Test Center  
Patuxent River, MD 20670

Mr. Milton Essoglou  
Naval Facilities Engineering  
Command  
R&D Plans and Programs  
Code 03T  
Hoffman Building II  
Alexandria, VA 22332

CAPT Robert Biersner  
Naval Biodynamics Laboratory  
Michoud Station  
Box 29407  
New Orleans, LA 70189

Dr. Arthur Bachrach  
Behavioral Sciences Department  
Naval Medical Research Institute  
Bethesda, MD

Dr. George Moeller  
Human Factors Engineering Branch  
Naval Submarine Base  
Submarine Medical Research Lab.  
Groton, CT 06340

JANUARY 1986

Department of the Navy

Head  
Aerospace Psychology Department  
Naval Aerospace Medical Research Lab  
Pensacola, FL 32508

Commanding Officer  
Naval Health Research Center  
San Diego, CA 92152

Dr. Jerry Tobias  
Auditory Research Branch  
Submarine Medical Research Lab  
Naval Submarine Base  
Groton, CT 06340

Dr. Robert Blanchard  
Code 71  
Navy Personnel Research and  
Development Center  
San Diego, CA 92152-6800

LCDR T. Singer  
Human Factors Engineering Division  
Naval Air Development Center  
Warminster, PA 18974

Mr. Jeff Grossman  
Human Factors Division, Code 71  
Navy Personnel R&D Center  
San Diego, CA 92152-6800

LT. Dennis McBride  
Human Factors Branch  
Pacific Missile Test Center  
Point Mugu, CA 93042

Dr. Kenneth L. Davis  
Code 1114  
Office of Naval Research  
800 North Quincy Street  
Arlington, VA 22217-5000

LCDR R. Carter  
Office of Chief on Naval Operations  
(OP-01B)  
Washington, D.C. 20350

Dean of the Academic Departments  
U. S. Naval Academy  
Annapolis, MD 21402

CDR W. Moroney  
Naval Air Development Center  
Code 602  
Warminster, PA 18974

Dr. Harry Crisp  
Code N 51  
Combat Systems Department  
Naval Surface Weapons Center  
Dahlgren, VA 22448

Mr. John Quirk  
Naval Coastal Systems Laboratory  
Code 712  
Panama City, FL 32401

Human Factors Branch  
Code 3152  
Naval Weapons Center  
China Lake, CA 93555

CDR Kent S. Hull  
MS 239-21  
NASA/Ames Research Center  
Moffett Field, CA 94035

Dr. Rabinder N. Madan  
Code 1114SE  
Office of Naval Research  
800 North Quincy Street  
Arlington, VA 22217-5000

Dr. Eugene E. Gloye  
ONR Detachment  
1030 East Green Street  
Pasadena, CA 91106-2485



JANUARY 1986

Dr. Glen Allgaier  
Artificial Intelligence Branch  
Code 444  
Naval Electronics Ocean System Center  
San Diego, CA 921525

Dr. Steve Sacks  
Naval Electronics Systems Command  
Code 61R  
Washington, D.C. 20363-5100

Dr. Sherman Gee  
Command and Control Technology, (Code 221)  
Office of Naval Technology,  
800 N. Quincy Street  
Arlington, VA 22217-5000

Dr. Robert A. Fleming  
Human Factors Support Group  
Naval Personnel Research & Development Ctr.  
1411 South Fern Street  
Arlington, VA 22202

Department of the Army

Dr. Edgar M. Johnson  
Technical Director  
U.S. Army Research Institute  
Alexandria, VA 22333-5600

Technical Director  
U.S. Army Human Engineering Laboratory  
Aberdeen Proving Ground, MD 21005

Director, Organizations and Systems  
Research Laboratory  
U.S. Army Research Institute  
5001 Eisenhower Avenue  
Alexandria, VA 22333-5600

Dr. Milton S. Katz  
Director, Basic Research  
Army Research Institute  
5001 Eisenhower Avenue  
Alexandria, VA 22333-5600

Department of the Air Force

Dr. Kenneth R. Boff  
AF AMRL/HE  
Wright-Patterson AFB, OH 45433

Dr. A. Fregly  
U.S. Air Force Office of  
Scientific Research  
Life Science Directorate, NL  
Bolling Air Force Base  
Washington, D.C. 20332-6448

Mr. Charles Bates, Director  
Human Engineering Division  
USAF AMRL/HES  
Wright-Patterson AFB, OH 45433

Dr. Earl Alluisi  
Chief Scientist  
AFHRL/CCN  
Brooks Air Force Base, TX 78235

Dr. J. Tangney  
Directorate Life Sciences  
AFSOR  
Bolling AFB  
Washington, D.C. 20032-6448

Mr. Yale Smith  
Rome Air Development  
Center, RADC/COAD  
Griffiss AFB  
New York 13441-5700

Dr. A. D. Baddeley  
Director, Applied Psychology  
Unit  
Medical Research Council  
15 Chaucer Road  
Cambridge, CB2 2EF England

Dr. Kenneth Gardner  
Applied Psychology Unit  
Admiralty Marine Tech. Estab.  
Teddington, Middlesex  
TW11 0LN  
England

Other Government Agencies

Dr. M. C. Montemerlo  
Information Sciences &  
Human Factors Code RC  
NASA HQS  
Washington, D.C. 20546

Dr. Alan Leshner  
Deputy Division Director  
Division of Behavioral and  
Neural Sciences  
National Science Foundation  
1800 G. Street, N.W.  
Washington, D.C. 20550

Defense Technical Information  
Center  
Cameron Station, Bldg. 5  
Alexandria, VA 22314 (2 copies)

Dr. Clinton Kelly  
Defense Advanced Research  
Projects Agency  
1400 Wilson Blvd.  
Arlington, VA 22209

Other Organizations

Dr. Harry Snyder  
Dept. of Industrial Engineering  
Virginia Polytechnic Institute  
and State University  
Blacksburg, VA 24061

Dr. Amos Tversky  
Dept. of Psychology  
Stanford University  
Stanford, CA 94305

Dr. Amos Freedy  
Perceptrons, Inc.  
6271 Variel Avenue  
Woodland Hills, CA 91364

Dr. Jesse Orlansky  
Institute for Defense Analyses  
1801 N. Beauregard Street  
Alexandria, VA 22311

Dr. Donald D. Hoffman  
University of California  
(Irvine)  
School of Social Sciences  
Irvine, CA 92717

Dr. T. B. Sheridan  
Dept. of Mechanical  
Engineering  
Massachusetts Institute of  
Technology  
Cambridge, MA 02139

Dr. Daniel Kahneman  
The University of British  
Department of Psychology  
#154-2053 Main Mall  
Vancouver, British Columbia  
Canada V6T 1Y7

Dr. Stanley Deutsch  
NAS-National Research Council  
(COHF)  
2101 Constitution Avenue, N.W.  
Washington, D.C. 20418

Dr. Meredith P. Crawford  
American Psychological  
Association  
Office of Educational Affairs  
1200 17th Street N.W.  
Washington, D.C. 20036

Dr. Deborah Boehm-Davis  
Department of Psychology  
George Mason University  
4400 University Drive  
Fairfax, VA 22030

Other Organizations

Dr. David Van Essen  
California Institute of Tech.  
Division of Biology  
Pasadena, CA 91125

Dr. James H. Howard, Jr.  
Department of Psychology  
Catholic University  
Washington, D.C. 20064

Dr. William Howell  
Department of Psychology  
Rice University  
Houston, TX 77001

Dr. Christopher Wickens  
Department of Psychology  
University of Illinois  
Urbana, IL 61801

Dr. Robert Wherry  
Analytics, Inc.  
2500 Maryland Road  
Willow Grove, PA 19090

Dr. Edward R. Jones  
Chief, Human Factors Engineering  
McDonnell-Douglas Astronautics Co.  
St. Louis Division  
Box 516  
St. Louis, MO 63166

Dr. Lola L. Lopes  
Department of Psychology  
University of Wisconsin  
Madison, WI 53706

Dr. Joaquin Fuster  
University of California at  
Los Angeles  
760 Westwood Plaza  
Los Angeles, CA 90024

Dr. Stanley N. Roscoe  
New Mexico State University  
Box 5095  
Las Cruces, NM 88003

Mr. Joseph G. Wohl  
Alphatech, Inc.  
3 New England Executive Park  
Burlington, MA 10803

Dr. Marvin Cohen  
Decision Science Consortium, Inc.  
Suite 721  
7700 Leesburg Pike  
Falls Church, VA 22043

Dr. Scott Robertson  
Catholic University  
Department of Psychology  
Washington, D.C. 20064

Dr. William B. Rouse  
School of Industrial and Systems  
Engineering  
Georgia Institute of Technology  
Atlanta, GA 30332

Ms. Denise Benel  
Essex Corporation  
333 N. Fairfax Street  
Alexandria, VA 22314

Dr. Andrew P. Sage  
Assoc. V. P. for Academic Affairs  
George Mason University  
4400 University Drive  
Fairfax, VA 22030

Dr. James Ballas  
Georgetown University  
Department of Psychology  
Washington, D.C. 20057

Other Organizations

Dr. Richard Pew  
Bolt Beranek & Newman, Inc.  
50 Moulton Street  
Cambridge, MA 02238

Dr. Hillel Einhorn  
Graduate School of Business  
University of Chicago  
1101 E. 58th Street  
Chicago, IL 60637

Dr. Douglas Towne  
University of Southern California  
Behavioral Technology Lab  
1845 South Elena Avenue, Fourth Floor  
Redondo Beach, CA 90277

Dr. James T. Todd  
Brandeis University  
Waltham, MA 02254

Dr. John Payne  
Graduate School of Business  
Administration  
Duke University  
Durham, NC 27706

Dr. Dana Yoerger  
Deep Submergence Laboratory  
Woods Hole Oceanographic  
Institution  
Woods Hole, MA 02543

Dr. Azad Madni  
Perceptronics, Inc.  
6271 Variel Avenue  
Woodland Hills, CA 91364

Dr. Tomaso Poggio  
Massachusetts Institute of Tech.  
Center for Biological Information  
Processing  
Cambridge, MA 02139

Dr. Whitman Richards  
Massachusetts Ins. of Tech  
Department of Psychology  
Cambridge, MA 02139

Dr. Robert A. Hummel  
New York University  
Courant Inst. of Mathematical  
Sciences  
251 Mercer Street  
New York, New York 10012

Dr. H. McI. Parsons  
Essex Corporation  
333 N. Fairfax Street  
Alexandria, VA 22314

Dr. Paul Slovic  
Decision Research  
1201 Oak Street  
Eugene, OR 97401

Dr. Kent A. Stevens  
University of Oregon  
Dept. of Computer & Info Sci.  
Eugene, OR 97403

Dr. Donald A. Glaser  
U. of California, Berkeley  
Department of Molecular Biology  
Berkeley, CA 94720

END  
FILMED

4-86

DTIC